

## Surface Fixed

Congas Page 1 of 2



#### Instrument Components:



M10x50 Security Screw



M10x50x3 Square washer



PU 200 Mount



PU 250 Mount

Metric Conversion: 178mm/7" 850mm/33" 1.5m/59"



# Installation Instructions









Weight of heaviest part 3.8kg (Large drum Small Congas) Weight of heaviest part 4.5kg (Large drum Medium Congas) Weight of heaviest part 5.2kg (Large drum Large Congas)


- 1. Attach the steel leg to each of the congas with the M10x50 security screws, square washers and PU mounts. (1.1) (See Assembly Guide)
- 2. Attach Surface Fixing posts to legs (1.2) (See Ground Fix Post Installation Sheet)

3.Locate Plate in desired location and mark holes to fix to desired surface.



**5**. Make sure all fixings are covered and secure using cover caps provided



















## Surface Fixed

Congas Page 2 of 2



### Instrument Components:



M10x50 Security Screw



M10x50x3 Square washer




200 Mount




250 Mount


# Assembly Guide PPCONG



#### PPCONG PLAN



PPCONG FRONT





#### COMPONENTS LIST:

- M10x50 Security Screw X4
- M10x50x3 square washer X4
- PU MOUNT 200 X2
- PU MOUNT 250 X2
- M10x70 Pin torx X1
  - M10 Barrel Nut Pin torx X1



BS EN 1176











0

PPCONG SIDE

